



PVC U GUARD

PVC U Guard riser system is designed to protect power and communications cables installed vertically on the side of a utility pole. The PVC U Guard system is non-conductive, lightweight, high impact resistant, and installed over the cable, eliminating cable pull through.

EXTENDED LIP LINE HOSE

NuVolt Group now offers ASTM D1050 certified and tested Extended Lip Line Hose to utilities across North America. NuVolt Group looks forward to offering our customers a high quality product that can be relied on and used in the electrical industry.



PVC U GUARD

Introducing our proprietary modular system, designed to withstand the harshest weather conditions experienced throughout North America. Our system features a PVC U Guard, seamlessly coupled with our custom reducer boot, creating a sleek and durable one-piece solution. Whether it's scorching summers or frigid winters, our system is engineered to withstand the extremes of all seasons.

OUR SYSTEM

POLE RISER + REDUCER BOOT PVC U GUARD

A one-piece system that is the perfect combination of quick installation, structural integrity, and cost savings.



POLE RISER



REDUCER BOOT



PVC U GUARD

PVC U GUARD ADVANTAGES

- NON-CONDUCTIVE**
No need for expensive ground cost
- NON-COROSIVE**
No maintenance
- AFFORDABLE**
Cost effective vs. traditional steel U Guard
- LIGHTWEIGHT**
Easy transportation for lineman
- EASY INSTALLATION**
Fasten with standard lag screws
- FIRE RESISTANT**
Resistance in compliance with UL 651
- CRUSH RESISTANT**
Excellent cold weather impact
- PERFORMANCE**
Compliant with NEMA TC-19
- REDUCER BOOT**
Used to step down to smaller size U Guard
- UNIVERSAL BOOT**
Used to step down to smaller size U Guard

FLANGED PVC U GUARD

CODE	SIZE	LENGTH	ID	OD
PM2-40-8	2"	8'	2.25"	4"
PM3-40-8	3"	8'	3.25"	5"
PM4-40-8	4"	8'	4.25"	6"
PM5-40-8	5"	8'	5.25"	7"
PM6-40-8	6"	8'	6.25"	8"

NON-FLANGED PVC U GUARD

CODE	SIZE	LENGTH	ID	OD
PM2-2150-8	2"	8'	2.25"	4"
PM3-3150-8	3"	8'	3.25"	5"
PM4-4180-8	4"	8'	4.5"	5.25"

BOOTS & REDUCERS



UNIVERSAL
REDUCER
BOOT




VENTED
REDUCER
BOOT



SMALL
FLANGED
STEP
REDUCER




NON-FLANGED
REDUCER
BOOT



EXTENDED LIP LINE HOSE

Meeting all ASTM D1050 standards for testing and certification through Kinectrics Incorporated, one of the leading electrical test facilities in the world, ensures quality and safety for your company.



SS150-10-45C

Class 4 - 1-1/2 Inch
with Coupler Line Hose (4 Foot)

SS150-10-6C

Class 4 - 1-1/2 Inch
with Coupler Line Hose (6 Foot)

CERTIFIED, TESTED & APPROVED

- Highest quality testing standards in the industry (ASTM D1050)
- Certified Kinectrics testing
- Durable, flexible, & safe
- Self locking lip, preventing line hose from coming off the conductor
- Ozone resistance tested
- 60 Hz AC & DC flashover tested
- Electrical proof tested
- Dimensional tested
- Visual inspection tested
- Top quality safety solutions

EXTENDED LIP LINE HOSE ADVANTAGES

COST EFFECTIVE

Beat the competitor with same or better quality

FLEXIBLE

Durable, Kinectrics tested and approved

QUICKER

Lead times to get the product

HIGHEST STANDARD OF SAFETY

Testing and certification



CONTACT INFORMATION



Phone :

 +1-800-810-9574

Email :

 info@nuvoltgroup.com

Web Site :

 www.nuvoltgroup.com

Locations:

 Granbury, TX, USA • Scottsdale, AZ, USA
Toronto, ON, CAN • Buffalo, NY, USA

